

PRETTY FLEEK

Material Safety Data Sheet

Pretty Fleek Ltd – Eyelash Primer



01/09/2023

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MSDS NAME: Eyelash Primer

EAN: 5065012414325

COMPANY NAME: Pretty Fleek Ltd.

COMPANY ADDRESS: 124 City Road, London, Greater London, EC1V 2NX

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

COMPONENT	% BY WEIGHT (APPROXIMATE)
Ethyl Alcohol	50%
Dihydrogen Monoxide	20%
3-(2-Aminoethylamino) Propyl] Trimethoxy Silane	15%
Acetic Anhydride	15%

SECTION 3 – HAZARDS IDENTIFICATION

INHALATION: Vapor can cause headache, nausea and irritation of the nose, throat and lungs.

EYE: Contact with vapor or liquid will seriously irritate the eyes.

SKIN: Irritating to the skin

INGESTION: May cause pain, nausea and vomiting, seek immediate medical attention.

SECTION 4 – FIRST AID MEASURES

INHALATION: Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention immediately.

EYE CONTACT: Immediately flush eyes with running water for at least 15 minutes. If redness, itching or burning sensation develops, see a physician.

SKIN CONTACT: Remove contaminated clothing/shoes and wipe off excess from skin. Wash exposed area with soap and water. If redness, itching or burning sensation develops, get medical attention.

INGESTION: Get medical attention immediately. Do not induce vomiting.

NOTE TO PHYSICIANS: None for this material.

SECTION 5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Use dry chemical, carbon dioxide, foam or spray as appropriate for surrounding fire.

FIRE-FIGHTING INSTRUCTIONS: Do not enter any enclosed or confined fire space without full protective equipment, including self-contained breathing apparatus to protect against the hazardous effects of combustion products and oxygen deficiency.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

SMALL SPILLS: Personal precautions, protective equipment, and emergency procedures.

Avoid contact with eyes. Avoid breathing vapours, mist, or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas. Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Methods and materials for containment and cleaning up Clean up promptly by sweeping or vacuum.

LARGE SPILLS: Use same procedure as small spill.

SECTION 7 – HANDLING AND STORAGE

HANDLING PRECAUTIONS: Keep away from sources of ignition and heat. No smoking or flames in working area. Take precautionary measures against static discharges. Avoid contact with skin and eyes. Wear proper protective equipment. Use only in well ventilated areas.

Use exhaust ventilation to keep air concentration below exposure limit. Keep container tightly closed when not in use.

STORAGE REQUIREMENTS: Keep away from all possible source of ignition. Store in a cool, dry, well ventilated location. Keep container tightly closed. Keep away from combustible materials, heat, steam pipe or sunlight. Keep away from oxidizing materials.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

PROTECTIVE CLOTHING/EQUIPMENT: Wash hands, face and gargle after work. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, or using the rest room. Keep out of reach of children. (S2)

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Colourless Liquid

ODOUR: Mild odour

INITIAL BOILING POINT AND BOILING RANGE: Above 190C.

FLASHING POINT: Above 95C.

FLAMMABILITY (SOLID, GAS): Non-combustible

VAPOUR PRESSURE: 1pa.

SOLUBILITY: Insoluble (Polymerised by water)

DENSITY: 0.9~1.1 (H2O=1.0).

SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY AND POSSIBILITY OF HAZARDOUS REACTIONS: Stable under recommended storage conditions

HAZARDOUS POLYMERIZATION: Under normal conditions of storage and use, hazardous polymerization will not occur.

INCOMPATIBLE MATERIALS: Reactive or incompatible with the following materials: oxidizing materials, Strong alkaline

HAZARDOUS DECOMPOSITION PRODUCTS: carbon oxides (CO, CO₂, etc)

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICITY: Skin contact may cause burns. Bond skin rapidly and strongly. Skin and eye irritant.

ROUTES OF ENTRY: Inhalation (Yes), Skin (Yes), Ingestion (Yes)

CARCINOGEN ETC: See section 3.

SECTION 12 – ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at concentrations predicted under normal product use and geographic dispersion. Packaging components are compatible with the conventional solid waste management practices.

SECTION 13 – DISPOSAL CONSIDERATION

DISPOSAL: Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses.

LOCAL LEGISLATION: Disposal should be in accordance with applicable regional, national, and local laws and regulations.

SECTION 14 – TRANSPORT INFORMATION

CLASS: Not regulated

UN NUMBER: Not regulated (Not more than 450 litres)

SECTION 15 – REGULATORY INFORMATION

This product is not a hazardous article and need not to be labelled according to EC Directives as amended Inventory status.

TSCA(USA): Complies with all applicable rules or orders under TSCA.

DSL(CANADA): All components listed on inventory.

ALCS(AUSTRALIA): All components listed on inventory.

ECL(KOREA): All components listed on inventory.

CA PROPORTION 65: No California proposition 65 chemicals are known to be present.

SECTION 16 – OTHER INFORMATION

The information contained herein is based upon data and information available to us, and reflects our best professional judgment, but is offered without guarantee or warranty. Neither our company nor any subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. All materials may present unknown. This information is furnished upon the condition that the person receiving it shall make their own determination of the suitability of the material for their particular use.

----- **END OF SAFETY DATA SHEET** -----